SOW-01-847-3-87255B-1/1

Date: 1 November 2000

STATEMENT OF WORK (SOW) For the Rebuild of the INPUT CONTROL CIRCUIT CARD ASSEMBLY For the SB-3614(V)/TT

NSN: 5998-01-059-2422 P/N: 755090A0725-1; CAGE: 87990

ROYG. SUMNER

Switch Systems Section Equipment Specialist

(Code 847-3)

MCLB, Albany GA

ELAINE FRIERSON

Inventory Manager Switch Systems Section

(Code 847-3)

MCLB, Albany GA

WILEY H. COOK, JR.

Weapon System/Equipment Manager Switch Systems Section (Code 847-3)

MCLB, Albany GA

STATEMENT OF WORK FOR THE

Rebuild of the Input Control Circuit Card Assembly For the SB-3614(V)/TT NSN: 5998-01-059-2422

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) in the rebuild effort of the Input Control Circuit Card Assembly, NSN 5998-01-059-2422, Part Number 755090A0725-1, CAGE 87990 for the SB-3614(V)/TT. This document contains requirements to restore the Input Control to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining.
- 1.1 <u>BACKGROUND</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

DMWR 11-5805-695 Rebuild Standard for the Switchboard, Telephone,

SB-3614(V)/TT

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Material

(CFM) from the Federal Supply System

755090A0725 Input Control Circuit Card Assembly

PL755090A0725 Parts List, Input Control Circuit Card Assembly

Military Handbook (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

JESD625-A Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems – Model for Quality Assurance in

Final Inspection and Test

Industry Standard (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the internet at http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

3.1 The Contractor shall rebuild the Input Control Circuit Card Assembly in accordance with DMWR 11-5805-695 and Engineering Drawings 755090A0725 and PL755090A0725.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

a. The Contractor shall be responsible for preservation and packaging of items being rebuilt under the terms of this statement of work. Items being prepared for long-term storage or shipment to overseas destinations shall be preserved and packaged in accordance with Level "A" requirements of MIL-STD-2073-1D, Appendix A, Table J.Ia, Specialized Equipment Preservation Code "GX". Items being prepared for domestic shipment, immediate use or short-term storage shall be to Level "B" requirements. All items subject to damage by electrostatic discharge shall be packed into a reusable fast pack container.

- b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.
- Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during the production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- 3.5 <u>Quality Assurances Provisions</u>. The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Materiel</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event CFM is required for repair parts, the Contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of De ense, Washington Headquarters Services, Directorate for Information Department and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to early penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Set d completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT C. CATEGORY:								
				TDPTM	OTHER					
D. SYSTEM/ITEM		E. CONTRACT/PR NO. F. CONTR			ACTOR				!	
	it Control CCA								17. PRICE GROU	
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					. PHICE GHOU
A001	Request For Deviation					Configuration Man	nageme	ent		
4. AUTHORITY (Data Acquisition Document No.)			5. CONTRACT REFERENCE			6. REQUIRING OFFICE				18. ESTIMATED
DI-CMAN-80640C		SOW 3.3			MCLBA (851)				IOTAL PRIC	
7. DD 250 REQ 9. DIST STATEMENT		10. FREQUENCY 12. DATE OF FIRST SUBMISSIO			ON	14. DISTRIBUTION				
LT REQUIRED		A	ASREQ	See Blk 1	6	***				
8. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft Final			
Α	A			300011331011			Draft	l-eg	Repro	
Blk 4 - Contract format.	ctor format is auth	norized ar	nd shall be sub	omitted in .doc or	.pdf	MCLBA (851-2)	0	1	0	
 Riks 10 & 12 -	RFDs shall be su	ibmitted t	o obtain autho	rization to deliver						
nonconforming documentation	meterial which d	loes not n	neet the prescr	rization to deliver ibed configuration	1		1			
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.						-	1	 		
receipt by the	Government.				r			[
RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil										!
mbmatcomconi	figmngmnt@matce	om.usmc	.mil							i
Diamihusian Ce	otomont A. A	oved f	nublic valaase	distribution is	limited			L		
Distribution St	atement A: Appro	oved for	public release,	distribution is un	mmtea.	2				
							-			
							<u> </u>	<u> </u>		
							h			1
							t~ ·			
							İ			i
								L		
							L			
							<u> </u>			
								- —		
							<u> </u>			
							 	<u> </u>		:
										:
							 			:
							ļ	<u> </u>		İ
								<u> </u>		
						}	}	<u> </u>	 	
							t	<u> </u>		
						15. TOTAL	0	1	0	1
G. PREPARED BY	ب رہ		H. DATE	I. APPROVED B	γ ,	·	J. DAT			:
1/2 1/2	1 11.14	1	10/ 1	، رين ر	/C./r	(/ W		1	, ,	1
DANIUS	C/Valler		14/30/0	Ollan	7	Coch	3/1	10:0	10	
DO FORM 1423	1, AUG 96 (EG)		/ PR	EVIOUS EDITION MAY BE	USED.	7	Page	_ of _	Pages	
			*	(ř	Designed	using Perform	Pro WHS/0	DIOR, Aug 96	